

## UNLINED, NITRILE GAUNTLET WITH CHEMICAL RESISTANCE

Made from a special SHOWA nitrile compound, the SHOWA 727 is a lightweight unsupported, gauntlet that's resistant to a range of solvents, animal fats and other chemicals.

### FEATURES

- › 100% nitrile
- › A bisque finish allows secure handling in wet and dry conditions
- › Nitrile protects from oils, hydrocarbons and grease penetration
- › Embossed with the size for ease of pairing after laundering
- › Wrist well protected
- › Length: 33cm
- › Thickness: 0.38mm
- › Flock-lined version available: SHOWA 730
- › Chlorinated



### SUITABLE FOR


#### Typical Industries

- Agriculture
- Chemical
- Automotive
- Contract cleaning
- Municipal Services
- Oil and Gas

#### Suitable Applications

- Cleaning
- Chemical Handling
- Degreasing
- Maintenance
- Refining
- Tank Filling

### CERTIFICATION



See overleaf for explanation

## PRODUCT INFORMATION

<b>MATERIALS</b>	LINER:	Unsupported, unlined
	COATING:	Nitrile
<b>COLOUR</b>	Green	
<b>LENGTH (mm)</b>	330	
<b>CUFF STYLE</b>	Gauntlet	

## ORDERING DETAILS

SIZE	CODE	PACKAGING	VEND COMPATIBLE OPTION	
			CODE	PACKAGING
7/S	BST727G1	12 pairs per bag	BSTV727G1	144 individually bagged pairs per case
8/M	BST727G2		BSTV727G2	
9/L	BST727G3	144 pairs per case	BSTV727G3	
10/XL	BST727G4		BSTV727G4	

## RECOMMENDATIONS FOR USE

- **USE:** Chemical resistant glove. Not suitable for thermal, electrical protection. Do not use near moving machines if there is a risk of entanglement
- **STORAGE:** Store in dry conditions in the original packaging and away from direct sunlight
- **CLEANING:** To clean, wipe with a damp cloth. Note: The performance characteristics of worn and laundered gloves may differ from the results shown. Inspect the gloves to ensure no damage is present
- **LIFETIME:** Service life depends on the glove application and therefore cannot be specified. It is the responsibility of user to ensure the glove is suitable for its intended use

## CERTIFICATION LEGENDS



MECHANICAL HAZARDS EN 388:2016 PERFORMANCE LEVELS\*



\*If tests are not performed or are not applicable, 'X' will be placed instead of a number/letter



PROTECTION AGAINST MICRO-ORGANISMS EN 374-5

VIRUS = Glove has passed ISO 16604: 2004 (method B)



FOOD CONTACT DIRECTIVE EC 10/2011



RESISTANCE TO CHEMICAL PERMEATION - EN ISO 374:2016

CODE	CHEMICAL	CODE	CHEMICAL	TYPE OF GLOVES	BREAKTHROUGH TIME
A	Methanol	J	n-Heptane	A	≥30 min for at least 6 chemicals
B	Acetone	K	Sodium hydroxide 40%		
C	Acetonitrile	L	Sulphuric acid 96%	B	≥30 min for at least 3 chemicals
D	Dichloromethane	M	65% Nitric acid		
E	Carbon Disulfide	N	99% Acetic acid	C	≥10 min for at least 1 chemical
F	Toluene	O	25% Ammonium hydroxide		
G	Diethylamine	P	30% Hydrogen peroxide		
H	Tetrahydrofuran	S	40% Hydrofluoric acid		
I	Ethyl acetate	T	37% Formaldehyde		

### EUROPE

[www.globusgroup.com](http://www.globusgroup.com)

**E:** [sales@globus.co.uk](mailto:sales@globus.co.uk)  
**T:** +44 (0)161 877 4747  
**F:** +44 (0)161 877 4746

### MIDDLE EAST AND AFRICA

[www.globusgroup.com/gcc](http://www.globusgroup.com/gcc)

**E:** [gcc@globusgroup.com](mailto:gcc@globusgroup.com)  
**T:** +971 4 882 9962  
**F:** +971 4 882 9963

