

art & science of amazing protection



Series No.: 20170-5 Series Nitrile Cleanroom Powder Free Disposable Gloves





# **BENEFITS OF NITRILE CLEANROOM DISPOSABLE GLOVES**

**Take Charge of Contamination Level:** Fifty pairs packed in a Class 100 environment, double vacuumed bagged in a cleanroom compatible packaging and then packed into a lined shipper carton.

**Peace of Mind:** Made with 100% nitrile, powder-free, and free from plasticizers, silicone, or pigments, providing peace of mind for users with latex allergies and sensitivities.

**Regulatory Excellence Compliance:** Rigorously tested and certified, our gloves meet and exceed a comprehensive range of regulations, including CAT III PPE Regulation (EU) 2016/425, Food Contact Regulation (EU) 1935/2004, and a suite of harmonized standards for your complete trust.

**Skin-Friendly Solution:** Powder-free formulation offer wearers worry-free hand protection solutions especially for individuals with latex allergies and sensitivities.

**Maximize Comfort, Minimize Distractions:** These gloves are soft and strong with flexible polymer formulation which allows for an improved user fit and can be worn for an extended prior without discomfort.

**Chemical Resistance:** These gloves offer resistance to a wide range of chemicals (EN Chemicals JKPT), enhancing their versatility in various industries.

**Static Safe Design:** Static safe as per EN 1149-5, making them ideal for safely handling electronic components and sensitive materials.

**Versatile Applications:** Ideal for various industries including EV battery and semiconductor manufacturing, pharmaceutical research, and other cleanroom settings, providing consistent performance across diverse environments.

### Regulations

- PPE Regulation (EU) 2016/425
- Food Contact Regulation (EU) 2020/1245 of Regulation (EU) No 10/2011

### Harmonized Standards

- EN 420:2003+A1:2009
- EN ISO 21420:2020
- EN 455-1:2020
- EN 455-2:2015
- EN 374-1:2016+A1:2018
- EN 374-4:2019
- EN 374-5:2016
- EN 1149-5

- **Quality Assurance**
- ISO 9001:2015
- ISO 13485:2016
- ISO 14001:2015





At ASAP, we are committed to hygiene control and quality assurance. Proper hygiene standard is practiced throughout the development of all ASAP products from raw materials handling, processing, production, inspection, to our finished product to deliver high quality products while limiting risk of cross-contamination.

Look for the Hygiene Matters<sup>™</sup> logo, quality and hygiene you can trust.







Colour Option: Cleanroom Healthcare Safety

### Series No.:

20170-5 Series Nitrile Cleanroom Powder Free Disposable Gloves

Series Size	Codes				
X Small	Small	Medium	Large	X Large	XX Large
XS, 5	S, 6	M, 7	L, 8	XL, 9	XXL 10
20171-5	20172-5	20173-5	20174-5	20175-5	20176-5

Product Specifications	
Design	Ambidextrous, Finger Textured, Beaded Cuff
Colour	White
Acceptance Quality Level (AQL)	1.5
Packing Mode	50 pairs per double vacuum bag, 10 double vacuum bags per carton

## **Dimension Specifications**

	Palm Width	Length (mm)		Thickness Single Wall (mm)			
	(mm)	EN 455	ASTM	Cuff	Palm	Finger	
XS	75 ± 5						
S	85 ± 5						
М	95 ± 5	Min. 290	Min 200		0.11 + 0.02	014 - 002	
L	105 ± 5		IVIII 1. 290	0.08 ± 0.02	0.11±0.02	0.14 ± 0.02	
XL	115 ± 5						
XXL	125 ± 5						

Physical Properties Specifications							
	EN455   Force at Break (N)	ASTM   Tensile Strength (MPa)	ASTM   Elongation (%)				
Before Aging	Min. 6.0, Median >10N	Min. 14	Min. 500				
After Aging	Min. 6.0, Median >10N	Min. 14	Min. 400				

Packaging Dimensions					
Inner	110 x 140 mm				
Carton	300 x 300 x 250 mm				



## **Cleanliness Properties**

Compatibility	
Clean Room Compatibility	Class 100, ISO Class 5
Sterility	Non-Sterile

Particles			FTIR analysis	
Particles	> 0.5µm (counts/cm²)		Silicone	ND
Typical Particle Count	<1,500		Amide	ND
Test Method	IEST-RP-CC005.4		Phthalates	ND

Ext	rac	tab	le I	ons

Extractable lon	Typical Value (ug/cm²)	Test Method
Fluoride (F-)	< 0.010	
Chloride (Cl-)	< 0.600	
Bromide (Br-)	< 0.050	
Nitrate (NO3-)	< 1.200	
Phosphate (PO43-)	< 0.050	
Sulphate (SO42-)	< 0.100	
Lithium (Li+)	< 0.001	IEST-KP-CC005.4
Sodium (Na+)	< 0.100	
Ammonium (NH4+)	< 0.100	
Potassium (K+)	< 0.100	
Magnesium (Mg2+)	< 0.010	
Calcium (Ca2+)	< 0.600	



## Instructions For Use

Description - Cleanroom Nitrile Powder Free Disposable Gloves, Non-sterile, Single Use Only.

Intended Use - ASAP Cleanroom nitrile glove is a disposable glove product worn to protect the hand of wearer against mechanical action whose effects are superficial, cleaning materials of weak action and easily reversible effects.

How To Don Gloves - Inspect the gloves to ensure there are no pinholes or tears. If gloves are ambidextrous, they can be worn on either hand. If not, align the glove's fingers and thumb with the proper hand before donning. Insert five fingers into the cuff and pull the cuff over the wrist. Check for a secure fit around the fingers and palm. The cuff should fit snuggly around the wrist.

How To Doff Gloves - After use, users should visually check the glove and remove any contamination from the outer surface before removing the gloves from the hands. Grasp the outside edge of the glove near the wrist. Peel the glove away from the hand, turning it inside out. Hold it in the opposite glove hand. Slide an ungloved finger under the wrist of the remaining glove, be careful not to touch the outside of the glove. Peel the remaining glove off from the inside, creating a "bag" containing both gloves. Discard.

**Disposal** - Properly dispose of all used nitrile glove. Follow your institution's policies for use and disposal of these gloves.

Storage - Store in a dry place. Avoid excessive heat (30°C). Exposed product should be shielded from direct sunlight, intense artificial light, x-ray machines, and other source of ozone.

Shelf Life - Three years from the manufacturing date.

**Warning** - These gloves are for single and transient use only.

Caution - This information does not reflect the actual duration of protection in the workplace and the differentiation between mixtures and pure chemicals. The chemical resistance has been assessed under laboratory conditions from samples taken from the palm only (except in cases where the glove is equal or over 400mm - where the cuff is also tested) and relates only to the chemical tested.

It can be different if the chemical is used in a mixture. It is recommended to check that the gloves are suitable for the intended use because the conditions at the workplace may differ from the type test depending on the temperature, abrasion, and degradation. When used, protective gloves may provide less resistance to the dangerous chemical due to changes in the physical properties. Movements, snagging, rubbing, degradation caused by the chemical contact etc. may reduce the actual use time significantly.

For corrosive chemicals, degradation can be the most important factor to consider in selection of chemical resistant gloves. This product contains nitrile rubber, which may cause allergic reactions in individuals who are known or suspected to be allergic to nitrile rubber. If an allergic reaction occurs, stop using immediately and consult a physician. This product is not made of natural rubber latex.

### **EN ISO 374**

Chemical Permeation (EN ISO 374-1:2016/+A1:2018Type B)	Level		Mean Degradation % (EN ISO 374-4:2019)
J n-Heptane	2	29	
K 40% Sodium Hydroxide	6	-32	Degradation levels indicate the change in Puncture
P 30% Hydrogen Peroxide	4	13	lenge chemical.
T 37% Formaldehyde	5	11	

### **EN ISO 374**

EN 16523-1:2015+A1:2018 Classification of Permeation Performance Level							
Measured Breakthrough Time (min)	>10	> 30	> 60	> 120	> 240	> 480	
Permeation Performance Level	1	2	3	4	5	6	

The penetration levels have been assessed under laboratory conditions and relates only to the tested specimen.

Resistance against Bacteria and Fungi - PASS Resistance against Virus - Pass

#### ASAP INTERNATIONAL SDN BHD

No. 1, Jalan Sitar 33/6, Seksyen 33, 40400 Shah Alam, Selangor, Malaysia.

T:+603 5191 0166 F:+603 5191 0702 E : info@whyasap.com W:www.whyasap.com

ASAP INNOVATIONS LTD. Unit 7, The Courtyard, Fonthill Business Park, Fonthill Road, Dublin, D22 XA07, Ireland.

T: +353 1466 1660 E:info@whyasap.ie W:www.whyasap.ie

#### ASAP INNOVATIONS (UK) LTD.

13, Diamond Court, Opal Drive, Fox Milne, Milton Keynes, MK15 0DÚ, United Kingdom.

T:+44(0)1908732700 E: info@whyasap.co.uk W:www.whyasap.co.uk



ALL RIGHTS RESERVED © ASAP INTERNATIONAL SDN. BHD.