## **thermo**scientific

## Technical Data Sheet High Performance Pharmacy Refrigerator

Revision-0

Thermo Fisher Scientific, Asheville, North Carolina

		Asheville, North Carolina					
-	Catalog number						
	TSX1205PV						
Specifications	Model Number						
-	TSX1205PV						
A 11 41	Application, Rating and Electrical Data						
Application	Pharmacy (non-flammable) Refrigerator						
Storage Volume	326 Liters / 11.5 Cubic Feet						
Factory Set Point		5°C					
Set Point Range/Adjustable Increment		7°C/ 0.1°C					
Electrical Power / Rated Current		Iz 1 Phase / 3.0A					
Building Supply Rating	15A dedicated grounded non-GFCI circuit. Pr		ve loads				
Power Plug/Power Cord Length		/ 3.048 Meters (10 feet)					
Agency Listings		CE, UL, cUL					
Indoor/Outdoor Usage		r Use Only					
Application Environment		, Non-Explosive, Good Air Ventilation					
Ambient Operating Temperature	15° C - 32°	C (60° F - 90° F)					
		on Configuration					
Refrigeration System	Vapor com	pression system					
Compressor / Number / Capacity	Hermetic Variable Capa	acity Compressor / 1 / 315W					
Condenser Type/Number	Enhanced Finned-Tub	e and Forced-Air Cooled / 1					
Expansion Device	Capi	llary Tube					
Evaporator Type / Defrost Method	Forced Air Evaporate	or Coil / Automatic Defrost					
Refrigerant Charge / Flammability	R290,110gms,GW	P:3 ODP:0 / Flammable					
, and the second		em Configuration and Features					
Controller Level	Eye Level						
Power Switch	Keyed Off-On - Alarm						
Controller Type	IntrLogic Control System: Digital display, 0	Graphic thermometer, Automatic defrost sy	rstem				
Setpoint Security / Programmable	Yes / Yes						
Compressor Safe Guard	Current protection						
Control Sensor	Single RTD (1000 oh	m shielded Platinum RTD)					
Connectivity / Remote Outputs	Remote alarm contacts, RS485 of	output and 4-20 mA output (optional)					
Adjustable Warm / Cold Alarms	Fully	Adjustable					
Power Failure Alarm		tandard					
Electronic Chart Recorder	0	ptional					
	Dimensions and Construction						
Interior Dimensions (D x W x H)	55.4 cm X 50.8 cm x 13	3.1 cm( 21.8" X 20.0" X 52.4")					
Exterior Dimensions (D x W x H)	77.5 cm x 61.9 cm x 18	35.4 cm (30.5" x 24.0" x 73.0")					
Insulation		Water-Blown Polyurethane Foam					
Door Perimeter heater	, , ,	Yes					
Shelves / Load Limit	(5) Rolling Baskets Adjustable In 1" Incre	table In 1" Increments. Max. Cap. per Basket: 27 kg (60 lbs.)					
All-Direction Casters		rd with Locks					
Shipping Weight	176	kg / 388 lb					
		ance Characteristics					
12 cuft Upright Refrigerator, Pull Down and Warm Up	12 cuft Upright Refrigerator at 5C Cycle						
—— Pull Down —— Warm Up	MAX — MIN — AVG	Test Unit Series Number or MSO Number:	19758-A-3				
19	8	Cabinet Load:	Unloaded				
17	7	Average Cabinet Temp at 5C Cycle (C): Peak Variation from Setpoint (C):	5.2 +1.6 / -1.6				
and 11		Uniformity (C): Stability (C):	0.9 2.3				
<b>a</b> 13	Pemperature 5 2 2 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4	1-min Door Opening Recovery to 5C (min):	3				
ğ 11	e d E 4	Duty Cycle at 5C (%):	25				
<b>P</b> 9	3	Cycle (on/off) rate at 5C (min): Energy Consumption (kw-hr/day):	2 / 7 3.2				
7	2	Heat Rejection Rate (btu/hr):	451				
5	1	Pull Down Time (to 5C) (min): Warm Up Time (5C to 15C) (min):	9 171				
0 50 100 150 20		Sound (dBA):	52				
Time, minutes	Time, minutes						
Í.							

- 1) Performance is nominal and individual units may vary.
- 2) Product performance will differ due to product amount, product size and operating conditions.
- Continuous product enhancements may, without notice, result in amendments or ommisions to this specification. Thermo Scientific cannot accept responsibility for damage, injury, loss or expenses resulting from misapplication of the information herein.

Temperatures are averages during > 20 cycles after reaching a setpoint of 5C

19758-A-3

Typical Cabinet Temperature Map Refrigerator 12cuft , 4 Inner-Shelves + Base, Single Outer Door

## **Top View of Shelves**

REAR FRONT M3 M4 M5 M1 M2

M10

M13 M14

M15

M20

M12

M23 M24 M25 M21 M22

**Cabinet Average:** 5.2 C **Probe Average:** 4.9 C

M11

Peak Variation: +1.6 C / -1.6 C

1: 5.6C	Front View		2: 5.4C
3: 5.1C	Probe	5: 5.3C	2: 5:4C 4: 5.1C
		10: 5.2C	
11: 5.2C 13: 5.0C	<b>&gt;</b>	15: 5.1C	12: 5.1C - 14: 4.9C
		20: 5.1C	
21: 5.3C 23: 5.4C	<b>&gt;</b> •	25: 5.2C	22: 4.8C 24: 5.1C

_		M1	M2	M3	M4	M5	M10	M11	M12	M13
	Avg	5.6	5.4	5.1	5.1	5.3	5.2	5.2	5.1	5
Г	Max	6.6	6.4	6.3	6.3	6.4	6.3	6.2	6.2	6.2
	Min	4.4	4.2	3.8	3.7	4	4.1	4.3	4	3.6

	M14	M15	M20	M21	M22	M23	M24	M25
Avg	4.9	5.1	5.1	5.3	4.8	5.4	5.1	5.2
Max	6.1	6.2	6.3	6.3	6	6.2	6.1	6.2
Min	3.6	4	3.7	4.2	3.4	4.5	4.2	4.1

